



PATHMARK

TRAFFIC PRODUCTS OF TEXAS, INC.

P.O. BOX 1066, SAN MARCOS, TX 78667

Call 1-800-547-0874

www.pathmark.net
sales@pathmark.net

Local: (512) 392-2090

Local Fax: (512) 392-2092

Toll Free Fax (800) 352-2092



Custom Sign Shop



Call us. We can make it!



Latex Traffic Paint:

A coating formulated and recommended for marking and striping streets, highways, or other traffic surfaces including, but not limited to, curbs, berms, driveways, parking lots, sidewalks and airports. The maximum V.O.C. allowed is 150 grams per liter, or 1.30 lbs. per gallon. This definition has been used since the beginning of the regulatory debate which industry has argued that the limits are too low to suit all striping applications, i.e.: cold weather, expensive & complicated equipment needed for some compliant products. A small concession made by the EPA in the final regulations is an additional category to help the small user of traffic paints—it is Zone Marking Coating.

**Meets
Federal Specifications!
FAA Approved**

LATEX TRAFFIC PAINT (Standard Dry)

A long-lasting, durable, water-reducible traffic paint for striping on asphalt or concrete. Apply with or without glass beads.

Coverage: Up to 450 ft. of 4" stripe per gallon.

Drying Time: Dries to "no track" in 75 minutes or less. Weather conditions may cause differences in drying time.

Clean-up: Water / Alcohol

Cont. Size: 5 gallon

White
20300

Yellow
20302

Black
20318

**ALL
PAINTS
LEAD
FREE**

**FIELD
MARKING
PAINT ON
PAGE 31**

**PAINT
STRAINERS**
70402 Each
70402A Case (25)

FAST DRY

LATEX TRAFFIC PAINT

A more durable, fast-drying, water-reducible traffic paint ideal for asphalt and concrete striping. Apply with or without glass beads.

Coverage: Up to 450 ft. of 4" stripe per gallon.

Drying Time: Dries to "no track" in 15 minutes or in 3 minutes or less with 130°F heat. Weather conditions may cause differences in drying time.

Clean-up: Water / Alcohol

Cont. Size: 5 gallon

White
20312

Yellow
20314

Red
20338

Blue
20320

PAINT STRIPERS



TURN TO PAGE 25

JET DRY

LATEX TRAFFIC PAINT

Our most durable, fast-drying, water-reducible traffic paint ideal for asphalt and concrete striping. Apply with or without glass beads. Dry time is not affected by adverse weather conditions as much as other latex traffic paint.

Coverage: Up to 450 ft. of 4" stripe per gallon.

Drying Time: Dries to "no track" in 10 minutes or in 2 minutes or less with 130°F heat. Not affected by humidity as much as other latex traffic paints.

Clean-up: Water / Alcohol

Cont. Size: 5 gallon

White
20333

Yellow
20337

Black
20339

Solvent Traffic Paint:

A coating formulated and recommended for marking and striping driveways, parking lots, curbs, or airports, and sold or distributed in a container with a volume of 19 liters (5 gallons) or less. The V.O.C. limit for paints in this category is 450 grams per liter or 3.8 lbs. per gallon.

STANDARD DRY

OIL BASED TRAFFIC PAINT

A Long lasting, durable striping paint for asphalt or concrete. Can be reflectorized with drop-on beads.

Coverage: 450 ft. of 4" stripe per gallon.

Drying Time: Standard - dries to "no track" in 30 minutes.
Heating to 140°F reduces time to 15 minutes.

Clean-up: Toluene Solvent

Cont. Size: 5 gallon

Black
20108
Blue
20112

TOLUENE SOLVENTS



20115 5-gal
20116 55-gal
\$25 Drum deposit
required on
55-gallon drums.

**Meets
Federal Specifications!
TTP-115**

CHLORINATED RUBBER TRAFFIC PAINT

High quality striping paint for asphalt or concrete. Fast drying, extremely durable, excellent resistance to abrasion, chemicals, salt and water. May be applied with or without glass beads.

Coverage: 400 - 450 ft. of 4" stripe per gal.

Drying Time: Standard - dries to "no track" in 12 minutes. Time can be reduced to approximately 3 minutes or less when heated to 100°F - 140°F.

Clean-up: Toluene Solvent

Cont. Size: 5 gallon

White
20200
Yellow
20202
Red
20210

GLASS BEADS

(Exceeds AASHTO Specifications)

Coverage: 6-8 lbs. per gallon of paint



No.	Description	Cont. Size
20525	For Roadway Use	50-lb. Bag
20526	Type III For Airports – FAA Approved	50-lb. Bag

State Specification Beads Available – Call for Qty Discounts

SUPER-REFLECTIVE THERMOPLASTIC STRIPING COMPOUND (EXTRUDED or SPRAY)

A premier hot applied pavement marking product. Composed of high quality hydrocarbon or alkyd resins, heat-stable pigments and highly reflective glass beads. Apply between 90 and 125 mils thickness with a minimum of 3-5 mils of primer / sealer prior to application.

Coverage: 1500 sq. ft. per ton @ 125 mils thickness.

Drying Time: Applied in a molten state, cools to a "no track" state in 1-5 minutes depending on ambient temperature.

Exceeds AASHTO Specifications

No.	Color	Resin	Cont. Size
20800	White	Alkyd	50 lb. Bag
20801	Yellow	Alkyd	50 lb. Bag

SOLD ONLY IN 1 TON (2000-lb.) SKIDS

20602 Thermo Sealer (1 part) 5-gal. cont.

Call for Current Quote on State Certified Material

"GORILLA" TRAFFIC PAINT

Highest quality, industrial resin paint for striping on asphalt or concrete. A superior paint providing highest durability with a satin finish. Perfect for crosswalks, stop bars, and curbs.

Coverage: 400-450 ft. of 4" stripe per gal.

Drying Time: Dries to 'no track' in 12 minutes. Time can be reduced to approximately 3 minutes when heated to 100°F - 140°F.

Clean-up: Toluene Solvent

Cont. Size: 5 gallon

White
20600
Yellow
20601
Red
20611

- Ultimate Daytime/Nighttime Visibility
- Cost Effective Alternative to Painted Stripes
- Eliminates Painting
- Maximum Durability

Applications:

- City Streets
- Safety Zones
- Highways
- Center Lanes
- Turn Lanes
- Crosswalks
- Parking Spaces
- Intersections
- Directional Arrows
- Runways

Approximate Adhesive Usage For Installation:

Three 4" buttons = 1-lb. Bitumen
 50 4" buttons = 1-gal. Epoxy
 One 6" button = 1-lb. Bitumen
 25 6" buttons = 1 gal. Epoxy
 15 8" buttons = 1-gal. Epoxy
 One 8" button = 1.5 lb. Bitumen

SOLD ONLY IN CASES

Call for quote on large quantities.

800-547-0874

In Stock



NON-REFLECTIVE BUTTONS


	Ceramic Button No.	Case Qty.	Description	Acrylic Button No.	Case Qty.
	10201	50	4" White Button	10251	100
	10202	50	4" Yellow Button	10252	100
	10205	12	6" White Channel Marker	-	-
	10206	12	6" Yellow Channel Marker	-	-
	10209	6	8" White Channel Marker	-	-
	10210	6	8" Yellow Channel Marker	-	-
	10207	20	6" White Jiggle Bar	-	-
	10208	20	6" Yellow Jiggle Bar	-	-

REFLECTIVE BUTTONS

	Ceramic Button No.	Case Qty.	Description	Acrylic Button No.	Case Qty.
	-	-	4" One Way Yellow Button	10261	100
	-	-	4" One Way Clear Button	10262	100
	10216	12	6" One Way Yellow Channel Marker	-	-
	10217	12	6" One Way Clear Channel Marker	-	-
	10224	6	8" One Way Yellow Channel Marker	-	-
	10225	6	8" One Way Clear Channel Marker	-	-
	10218	12	6" Two Way Yellow Channel Marker	-	-
	12226	6	8" Two Way Yellow Channel Marker	-	-
	10220	20	6" One Way Yellow Jiggle Bar	-	-
	10221	20	6" One Way Clear Jiggle Bar	-	-
	10222	20	6" Two Way Yellow Jiggle Bar	-	-


- 4" Reflective
- Define Traffic Lanes Day and Night
- Ultimate Night Visibility

**Superior
Wide Angle
Reflectivity**



**Easy
to
Install**

PERMANENT ROAD MARKERS

	No.	Description	Case Qty.
	10100	One Way Yellow Reflective Marker	50
	10101	One Way Clear Reflective Marker	50
	10102	One Way Red Reflective Marker	50
	10103	Two Way Yellow Reflective Marker	50
	10104	Two Way Clear Reflective Marker	50
	10105	Two Way Red Reflective Marker	50
	10106	Two Way Green Reflective Marker	50
	10107	Two Way Blue Reflective Marker	50
	10108	Two Way Clear/Red Reflective Marker	50



**Abrasion
Resistant**

- Center Line Marking
- Lane Marking
- Highway Edge Marking
- Construction Zone Entrance and Exit Color Coding

TEMPORARY CHIP SEAL MARKERS (TRPM)

	10125	One Way Clear Marking Tab with Cover	500
	10126	Two Way Yellow Marking Tab with Cover	500

TEMPORARY OVERLAY MARKERS (TOMS)

	10128	One Way Clear Marking Tab without Cover	500
	10129	Two Way Yellow Marking Tab without Cover	500

Allow approximately 50 4" markers per gallon of epoxy adhesive or 165 4" markers per 55 lb. cube of bitumen adhesive.

ADHESIVES & APPLICATORS

See Page 29 for Epoxy Dispensers
and Bitumen Adhesive Applicators



50351 Air Operated Gun for 600cc Cartridge



50353 Manually Operated Gun for 600cc Cartridge

Butyl Pads — 1/8" thick

- 10307** 8" x 8"
10309 4" x 4"



Hot Melt Pads — 5" x 5"

Applied with heat; 150/case

White

10310

Yellow

10310Y

Black

10314

Epoxy Adhesive

- 10302** 2-Gal. Kit
(Approx. 100 Markers)
10303 10-Gal. Kit
(Approx. 500 Markers)



Bitumen Adhesive

- 10301** Black, 55-lb. Box
(Approx. 165 Markers)



Epoxy Cartridges and Accessories



- 10305**
600cc Cartridge
(Installs approx. 15
markers)

- 10311**
Disposable Static
Mixer 1/2"

- 10313**
Retainer Nut 1/2"

- No Expensive Equipment Required for Installation
- Environmentally Friendly
- Weather Resistant
- Quick and Easy to Install

SHIPPED
FROM STOCK

PERMANENT PAVEMENT MARKING TAPE

Standard Grade	Color	Size
40200	White	4" x 360 ft.
40201	Yellow	4" x 360 ft.
40202	White	4" x 90 ft.
40203	Yellow	4" x 90 ft.
40205	White	12" x 90 ft.
-	White	16" x 90 ft.
40206	White	24" x 90 ft.
40207	DOT	ONLY - legend
40208	DOT	Straight Arrow
40209	DOT	Right Arrow
40210	DOT	Left Arrow
40211	DOT	Straight and Left Arrow Combo
40212	DOT	Straight and Right Arrow Combo

Recommended for Permanent Installation

20607	Primer Sealer, 5-gallon container
20610	Contact Cement, 5-gallon container

Primer: Allow approximately 200 sq. ft. per gallon

Contact Cement: Allow approximately 40 st. ft. per gallon

REMOVABLE PAVEMENT MARKING TAPE

Standard Grade	Color	Size
40104	White	4" x 360 ft.
40105	Yellow	4" x 360 ft.
40109	White	12" x 90 ft.
40110	White	24" x 90 ft.
40111	White	ONLY - legend
40112	White	Straight Arrow
40113	White	Right Arrow
40114	White	Left Arrow
40115	White	Straight and Left Combo
40116	White	Straight and Right Arrow Combo

20607	Primer Sealer, 5-gallon container
-------	-----------------------------------

Pre-Cut Symbols



MUTCD Compliant



**Highly Reflective
White or Yellow**
*Call for quote on
large quantities.*

FOIL BACK TEMPORARY PAVEMENT MARKING TAPE

Item	Color	Size
40100	White	4" x 150 ft.
40101	Yellow	4" x 150 ft.
40100A	White	4" x 300 ft.
40101A	Yellow	4" x 300 ft.

Easy to Install

Unroll - Cut - Press Down

BLACK OUT TAPE

Item	Size
40106	6" x 360 ft.

- Heavy Duty
- Skid Resistant
- Cost Effective
- Year Round Use
- Environmentally Friendly
- Thickness .0125 mils

**Pavement
temperature
requirements
not necessary
for installation.**

PREFORMED THERMOPLASTIC LINES

Item No.	Color	Size	Qty/Pack
20900	White	4" x 3'	90 ft.
20901	Yellow	4" x 3'	90 ft.
20910	White	6" x 3'	60 ft.
20911	Yellow	6" x 3'	60 ft.
20915	White	8" x 3'	45 ft.
20916	Yellow	8" x 3'	45 ft.
20920	White	12" x 3'	30 ft.
20923	Yellow	12" x 3'	30 ft.
20925	White	16" x 3'	15 ft.
20930	White	24" x 3'	15 ft.
20602	Sealer 5-gallon		
20961	Torch/Rip Pack		
20962	Economy Torch Burner		
20961A	Infrared Thermometer		

HANDICAP SYMBOLS


20944 / 20946




20948

BIKE SYMBOLS

Bike Lane
20958
8' x 4'



Bike Trail
20957
4' x 4'


STANDARD FHWA ARROWS

PREFORMED THERMOPLASTIC SYMBOLS & NUMBERS

Item No.	Description	Size	Qty/Pack	Comments
20940	R X R Kit	2 R's + 42' of 16"	1 ea.	FHWA Standard
20942	Standard Railroad "R"	6.5'	4 ea.	FHWA Standard
20944	Handicap Symbol White	39"	5 ea.	International Design
20945	Turn Arrow	8'	2 ea.	
20946	Handicap Symbol Blue	39"	5 ea.	International Design
20948	Handicap Kit White on Blue	4' x 4'	2 ea.	International Design
20950	Straight Arrow	9.5'	2 ea.	
20952	"BIKE"	4'	4 ea.	FHWA Standard
20953	"LANE"	4'	4 ea.	
20955	Combo Arrow Kit	12.75'	1 ea.	
20957	Bicycle Trail Symbol	4'	5 ea.	FHWA Standard
20958	Bicycle Lane Symbol	8' x 4'	2 ea.	FHWA Standard
20960	U-turn	10'	1 ea.	
20963	Bicycle Lane Symbol	4' x 2'	5 ea.	FHWA Standard
20966 - #	Numbers (0-9)	8'	1 ea.	FHWA Standard



PREFORMED THERMOPLASTIC WORDING

Item No.	Description	Size	Qty/Pack	Item No.	Description	Size	Qty/Pack
20968	SCHOOL	10'	1 ea.	20977	TURN	8'	1 ea.
20969	SCHOOL	8'	1 ea.	20978	LANE	8'	1 ea.
20935	ONLY	8'	1 ea.	20979	YIELD	8'	1 ea.
20970	STOP	8'	1 ea.	20980	PED	8'	1 ea.
20971	SIGNAL	8'	1 ea.	20981	MPH	8'	1 ea.
20972	AHEAD	8'	1 ea.	20982	MERGE	8'	1 ea.
20973	X-ING	8'	1 ea.	20983	BUS	8'	1 ea.
20974	RIGHT	8'	1 ea.	20984	FIRE	8'	1 ea.
20975	LEFT	8'	1 ea.	20985	EXIT	8'	1 ea.
20976	SLOW	8'	1 ea.	20602	Sealer 5-gallon (Approx. 150 sq. ft. per gallon)		

Sealer should be used when material is applied on concrete.

STENCILS

Stencilocs: → 
 Locks plastic stencils along the top and bottom of the lock strip for a temporary or permanent assembly of multiple piece plastic stencil kit or symbol. This design makes handling multi-piece stencils much easier.


Item No.	Description
SL-1212 D/M	12" Long Single Piece
SL-2412 D/M	24" Long Single Piece
SL-3600 D/M	36" Long Single Piece
SL-4200 D/M	42" Long Single Piece
SL-4800 D/M	48" Long Single Piece
SL-7200 D/M	72" Long Single Piece

MISCELLANEOUS SYMBOLS

S-3039	39' Large Hanicap Stencil
S-5020	6 1/2" x 12 1/2" Railroad "R"
S-6030M	3' x 2' Field Numbering Kit
S-6060M	6' x 42" Field Numbering Kit
S-6060PM	6' x 48" Pro Field Numbering Kit
S-5000	Federal Specification Straight Arrow
S-5010	Federal Specification Curved Arrow
S-5015	Combo Arrow Stencil

INTERLOCKING BRASS STENCILS

Item No.	Description
S-BS192	1" Brass Kit, 92 Pieces
S-BS115	1" Brass Kit, 15 Pieces
S-BS292	2" Brass Kit, 92 Pieces
S-BS215	2" Brass Kit, 15 Pieces
S-BS392	3" Brass Kit, 92 Pieces
S-BS315	3" Brass Kit, 15 Pieces
S-BS492	4" Brass Kit, 92 Pieces
S-BS415	4" Brass Kit, 15 Pieces
S-BS692	6" Brass Kit, 92 Pieces
S-BS615	6" Brass Kit, 15 Pieces




Athletic Stencil Kits

FOOTBALL FIELD NUMERING KIT	
Includes: 8 pieces; Roman Style	S-6030 D/M or S-6060D/M
FOOTBALL FIELD PRO NUMERING KIT	
Includes: 8 pieces; Roman Style	S-6060P D/M

NUMBER AND ALPHABET KITS WORDING/INDIVIDUAL CHARACTER STENCILS

- Standard Number Kit (12 pieces): 0-9 and 2 Blanks
- Standard Alphabet Kit (28 pieces): A-Z and 2 Blanks
- Mega Kit (63 pieces):
 - AA B C D EEE F G H I J K LL M NN OO P Q RR SSS TT U V W X Y Z
 - 11 22 33 4 5 6 7 8 9 00
 - & # / () - , . and 4 Blanks

Item No.	Description
S-7031 D/M	3" Wording — 2" W x 3/8" Bar; Up to 10 Letters
S-8030 D/M	3" Number Kit — 12 Pieces
S-8035 D/M	3" Alphabet Kit — 28 Pieces
S-8038 D/M	3" Mega Kit — 63 Pieces
S-9030 D/M	3" Characters — 2" W x 3/8" Bar
S-7041 D/M	4" Wording — 2 1/4" W x 3/8" Bar; Up to 10 Letters
S-8040 D/M	4" Number Kit — 12 Pieces
S-8045 D/M	4" Alphabet Kit — 28 Pieces
S-8048 D/M	4" Mega Kit — 63 Pieces
S-9040 D/M	4" Characters — 2 1/4" W x 1/2" Bar
S-7061 D/M	6" Wording — 4" W x 7/8" Bar, Up to 10 Letters
S-8060 D/M	6" Number Kit — 12 Pieces
S-8065 D/M	6" Alphabet Kit — 28 Pieces
S-8068 D/M	6" Mega Kit — 63 Pieces
S-9060 D/M	6" Characters — 4" W x 7/8" Bar
S-7120 D/M	12" Wording — 9" W x 2" Bar; Up to 5 Letters
S-7121 D/M	12" Wording — 9" W x 2" Bar; Up to 10 Letters
S-8120 D/M	12" Number Kit — 12 Pieces
S-8125 D/M	12" Alphabet Kit — 28 Pieces
S-8128 D/M	12" Mega Kit — 63 Pieces
S-9120 D/M	12" Characters — 9" W x 2" Bar
S-7180 D/M	18" Wording — 9" W x 2" Bar; Up to 5 Letters
S-7181 D/M	18" Wording — 9" W x 2" Bar; Up to 10 Letters
S-8180 D/M	18" Number Kit — 12 Pieces
S-8185 D/M	18" Alphabet Kit — 28 Pieces
S-9180 D/M	18" Characters — 9" W x 2" Bar
S-7240 D/M	24" Wording — 9" W x 2" Bar; Up to 5 Letters
S-7241 D/M	24" Wording — 9" W x 2" Bar; Up to 10 Letters
S-8240 D/M	24" Number Kit — 12 Pieces
S-8245 D/M	24" Alphabet Kit — 28 Pieces
S-9240 D/M	24" Characters — 9" W x 2" Bar
S-7360 D/M	36" Wording — 9" W x 2" Bar; Up to 5 Letters
S-7361 D/M	36" Wording — 9" W x 2" Bar; Up to 10 Letters
S-8360 D/M	36" Number Kit — 12 Pieces
S-8365 D/M	36" Alphabet Kit — 28 Pieces
S-9360 D/M	36" Characters — 9" W x 2" Bar
S-8480 D/M	48" Number Kit — 12 Pieces
S-8485 D/M	48" Alphabet Kit — 28 Pieces
S-9480 D/M	48" Characters — 9" W x 2" Bar
S-9720 D/M	72" Characters — 16" W x 3" Bar
S-9960 D/M	96" Characters — 16" W x 4" Bar




PARKING LOT ARROWS (1/8" Materials)

Item No.	Description
S-4042	Arrow Kit
S-4060	Straight Arrow
S-4065	Curved Tail
S-4090	Large Arrow Kit

**Call for information
on special sizes and wording.**

S-4042 D/M Arrow Kit Standard




Includes: 2 pieces; (1) Straight Arrow and (1) Curved Arrow; 42" tall x 20" wide

S-4060 D/M Straight Arrow



60" tall x 35" wide;
tail has 12" stroke

S-4065 D/M Arrow Curved Tail



Fits S-4060;
17" tall x 38" wide;
with 12" bar

S-4090 D/M Arrow Kit Large



Includes: 3 pieces O.A.L.; (1) Head; (1) Straight Tail;
(1) Curved Tail; all 42" tall x 36" wide

TYPE 3 OBJECT MARKERS



OM-3L
Left Marker



OM-3R
Right Marker

12" x 36" Engineer Grade
Sheeting on .080 Aluminum

BUTTERFLY HIGH IMPACT GUARDRAIL REFLECTORS



- Fits all standard W-beam guardrails
- Mount with adhesive or bolts
- UV-stabilized plastic won't rust
- More resilient than steel

30162 White

30163 Yellow

OBJECT MARKERS 18" x 18"



- Engineer Grade Reflective Sheeting on .080 Alum.
- Nine 3" amber reflectors on 18" x 18" aluminum panel

30716A

OBJECT MARKERS 18" x 18"



- Engineer Grade Reflective Sheeting on .080 Alum.

30717R Red End of
Road Marker

30717 Yellow Type I
Object Marker

3" Center Mount Reflectors



30117 Clear

30118 Amber

30148 Red



OBJECT MARKERS 6" x 12"

- Engineer Grade Reflective Sheeting on .080 Alum.
- Three 3" amber reflectors on 6" x 12" aluminum panel

30715



OBJECT MARKERS 6" x 12"

- Yellow Sheeting on .080 Aluminum.

30719 Hi Intensity

30720 Engineer Grade



4" x 4" Hi Intensity Delineators

30146 White

30147 Yellow

CALL FOR QUOTE ON LARGE QUANTITIES OF MARKERS

Concrete Barrier Markers

3" x 4" Concrete Traffic Barrier Markers (CTBMs)

- Top Mount
- High Impact Flexible Plastic
- More Resilient than Steel



Prismatic Reflector

30111 Silver One Side

30112 Amber One Side

30113 Amber Two Sides



Reflective Sheeting

30114 Silver One Side

30115 Amber One Side

30116 Amber Two Sides

LOW PROFILE CONCRETE TRAFFIC BARRIER MARKER (LPCD)



30871L Concrete
Traffic Barrier 16"
L Bracket

MARKER INSTALLATION ADHESIVE

10316 Fast Cure
One Part 11 fl. oz.

(Will install
approximately
35 concrete
traffic barrier
markers per tube.)





R3-3
24" x 24"



R3-5L
30" x 36"



R3-5R
30" x 36"



R3-5A
30" x 36"



R3-6L
30" x 36"



R3-8CT
30" x 30"



R3-6LSR
30" x 36"



R3-6R
30" x 36"



R3-7L
30" x 30"



R3-7R
30" x 30"



R3-8R
30" x 36"



R4-7
24" x 30"



R4-7B
18" x 24"



R4-8
24" x 30"



R6-1L
36" x 12"



R6-2R
18" x 24"



R6-6
24" x 30"



R10-5L
24" x 30"



R10-6AL
24" x 30"



R10-7
24" x 30"



R10-10L
24" x 30"



R4-1
18" x 24"
24" x 30"



R4-2
18" x 24"
24" x 30"



R4-3
18" x 24"
24" x 30"



R3-17
24" x 18"
30" x 24"



R4-3BT
36" x 36"
48" x 48"



R4-8B
18" x 24"
24" x 30"



R10-11A
18" x 24"
24" x 30"

**All Signs Engineer Grade Reflective
Sheeting on .080 Aluminum**

SPEED LIMIT SIGNS


R2-1
18" x 24"
24" x 30"



R2-4P
18" x 24"
24" x 30"



R2-5A
18" x 24"
24" x 30"



R2-5B
18" x 24"
24" x 30"



R2-5C
18" x 24"
24" x 30"

*Specify Size &
Speed from Below:*

MPH	MUTCD	MPH	MUTCD
5	R2-1-5	35	R2-1-35
10	R2-1-10	40	R2-1-40
15	R2-1-15	45	R2-1-45
20	R2-1-20	50	R2-1-50
25	R2-1-25	55	R2-1-55
30	R2-1-30	Blank	R2-1-B

CALL FOR QUOTE ON LARGE QUANTITIES OR CUSTOMIZED SIGNS

REGULATORY SIGNS

PathMark Traffic Products

Engineer Grade Reflective Sheeting on .080 Aluminum



R1-1



R1-2



R5-1



R5-1A

MUTCD No.	SIZE	MUTCD No.	SIZE
R1-1	24" x 24"	R1-3P	18" x 6"
R1-1	30" x 30"	R5-1	24" x 24"
R1-1	36" x 36"	R5-1	30" x 30"
R1-1	48" x 48"	R5-1A	30" x 18"
R1-2	30" x 30" x 30"	R5-1A	36" x 24"
R1-2	36" x 36" x 36"		

PROHIBITIVE SIGNS

CALL FOR QUOTE ON LARGE QUANTITIES

24" x 24" Engineer Grade Sheeting on .080 Aluminum



R3-1



R3-2



R3-4



R5-2



R5-6



R8-3



R9-3

PARKING SIGNS

LET US QUOTE ON LARGE QUANTITIES

Specify Size: 12" x 18" or 18" x 24" — Reflective Sheeting on .080 Aluminum

Custom Wording
and Sizes Available



R7-107R



R7-1D



R7-6



R7-6-3



R7-6-4



R7-2P*
(* Specify Times)



R7-6-4R



R7-6-5



R7-6-9



R8-14



R8-17



R7-201AP



R8-18



R8-3A



R8-32



R8-56



R9-16



R7-201A
12" x 6"



R7-8
12" x 18"



R7-8-TX
12" x 9"



R7-8P5
12" x 6"



R7-8P6
12" x 6"

.080 Aluminum Engineer Grade Reflective Sheeting

COUNTY ROUTE MARKERS

D Series Yellow Numerals for County Road Markers

1 2 3 4 5 6 7 8 9 0

Available in 6" and 8" sizes / 25 per package

Engineer Grade Reflective Sheeting on .080 Aluminum



M1-5-18 18" Size
M1-5-24 24" Size
(Yellow Numerals Sold Separately.)

STREET NAME SIGNS



FLAT BLADE
30558 6" Blade
30560 9" Blade



EXTRUDED BLADE
30561 6" Blade
30563 9" Blade

(Flat Blade Side View)

(Extruded Blade Side View)

- **Engineer Grade Reflective Sheeting**
- **Double-Faced White on Green**
- **Long-Lasting Aluminum**

Sign Support Brackets

T-SIGN SUPPORT



30909
T-Bracket

U-SIGN SUPPORT



30913
U-Bracket for 2-7/8" Posts

Available for 2-3/8" and 2-7/8" diameter posts

Custom Sign Shop


- **Regulatory:**
MUTCD Readings, Aluminum .080, Sheeting and Sizing Options Available
- **Construction:**
Roll-Up Signs and Stands, MDO and Coroplast, High Intensity and Diamond Grade Sheeting Options
- **Street Signs:**
6" and 9" Blades, Flat or Extruded, Other Colors Available

All of our signs are made with high quality materials and are fully customizable. You pick the size, substrate, sheeting and reading. We will manufacture the sign in our custom sign shop per your order.

What can we make for you?

Single Post


Signposts can be driven directly into the ground without anchoring sections, using a drive cap with sledge or power equipment.



Single Breakaway Anchor

Single Breakaway Anchor


A single breakaway anchor system allows work crews to perform ground level installations and rapid replacement of signposts after vehicle impact. When installing the system, the anchor should be one size larger than the signpost and driven using an appropriate size drive cap. All anchors should be driven into the ground leaving 1 to 2 holes exposed for signpost connection.



Two Piece Breakaway Anchor

Two Piece Breakaway Anchor

High impact installations require constant replacement of damaged posts and anchors. An additional 18" outer sleeve, one size larger than the anchor, is used to double the anchor wall thickness at the vertical bending area. This system will provide quick replacement of damaged signposts without the need to reinstall a new anchor into the ground.



30905GLP
Gravity Lock Pin

Channel Sign Posts (2 lbs. per foot)

- 30900** 8 ft. Green Channel Post
- 30901** 10 ft. Green Channel Post
- 30902** 12 ft. Green Channel Post
- 30903** 8 ft. Galvanized Channel Post
- 30904** 10 ft. Galvanized Channel Post
- 30904A** 12 ft. Galvanized Channel Post

Square Sign Posts (14 Gauge 1 3/4" square)

- 30905-10** 10 ft. Galvanized Square Post
- 30905-12** 12 ft. Galvanized Square Post
- 30905A** 12 Gauge 3 ft. by 2" Square Anchor
- 30905B** 18 in. by 2 1/4" square sleeve
- 30905GLP** Gravity Lock Pin for Square Breakaway

Delineator Posts (1.12 lbs. per foot)

- 30920** 6 ft. Green Channel Post
- 30921** 6 ft. Galvanized Channel Post

Tubular Sign Posts (2 3/8" O.D. x .065)

- 30906** 8 ft. Galvanized Tubular Post
- 30907** 10 ft. Galvanized Tubular Post
- 30907A** 11 ft. Galvanized Tubular Post
- 30908** 12 ft. Galvanized Tubular Post
- 30923A** 12 ft. High Visibility Yellow Vinyl Coated Prepunched Tubular Post

- 30894A** Poz Lock Wedge
- 30894B** 27" Poz Lock Socket

30894A
Poz Lock Wedge



30894B
Poz Lock Socket

SIGN BRACKETS & POST ACCESSORIES

- Manual Post Drivers
- Sign Brackets
- Galvanized Surface Mount Base
- Street Name Post Caps & Crosses

(Specify Flat or Extruded;
Also Available in 18" and 24")

CAP/CROSS SIZING GUIDE

Blade Holder Size	Cap Tubular Post	Cap U-Channel Post	Cap 1 3/4" Square Post	Cross For Signs
5 - 1/4"	30924	30924U	30924S	30925
3 - 5/32"	30926	-	30926S	30927
12"	30930	30930U	30930SF	30931



30139



30140



30141CB



30911

- 30138** 3/8" Drive Rivet
- 30138S** Steel Drive Rivet
- 30139A** U-Bolt Clamp for 2-7/8" OD Post
- 30139** U-Bolt Sign Clamp for 2-3/8" OD Post
- 30141CB** Corner Bolt w/Nut
- 30141NW** Nylon Washer
- 30922** Universal Bracket
- 30911** Extruded Aluminum Sign Brackets for 2-3/8" OD Post
- 30912A** Acorn Cap Closure Cap 2-3/8" OD Post
- 30912D** Flat Top Closure Cap 2-3/8" OD Post
- 30912E** Round Top Closure Cap 2-3/8" OD Post
- 30914** Back-to-Back Sign Clamps for 2-3/8" OD post
- 30140** Double Sign Clamp for 2-3/8" OD Post
- 30917** Galvanized Surface Mount base with 4 Lag Bolts for Surface Mount of 2-3/8" OD Post
- 30929** Post Cap 2-7/8"; 5-1/4" Flat Blade Holder



30914



30917



30924



30924S



30924U



30925



30926



30927

TRI-SLIPBASE SIGN SUPPORT SYSTEM**Components:**

- Post Anchor—Designed for simple installation
- Ground Stub Anchor—Serves as the base to be installed in concrete
- Heavy Duty Fasteners—Prevents movement of the post in any wind condition
- Sign Post—Available in multiple lengths for sign mounting
- Retainer Plate—A galvanized plate to allow the release of the upper casting and post in the event of impact

- 30915** Tri-Base Ground Stub Anchor with Locking Rod
- 30916** Tri-Base Post Anchor with Retainer Plate (Heavy duty fasteners included)
- 30919-10** 2-7/8" x 10-ft. Sign Post
- 30919-12** 2-7/8" x 12-ft. Sign Post

**VANDAL PROOF HARDWARE**

- 30141SN** Vandal Proof 5/16 - 18 Serrated Nut
- 30141T** Serrated Nut Tool
- 30141N** Vandal Proof 5/16 - 18 Vandalgard Nut
- 30143T** Hex Key for Pinned Head Screw
- 30143SET** Vandal Proof 5/16 - 18 Pinned Set Screw
- 30142** Stamped Steel Driver for Spanner Head
- 30143** "T" Handle Wrench for 18 Pinned Set Screw

- 30141** Vandal Proof 5/16 - 18 x 5/8 Spanner Head Bolt
- 30141CRB** 5/16 - 18 x 2 1/2 Carriage Bolt
- 30141TH** 5/16 - 18 x 2 1/2 Truss Head Unslotted Bolt
- 30141NW** Nylon Washer
- 30145** Threaded System for U-Channel Posts

**POST DRIVERS & PULLERS**

- Portable, One-Man Operation
- Low Cost, Trouble-Free Service

**50401****50403****AIR-OPERATED POST DRIVERS**

- 50401** PD-39: Medium Duty Post Driver with 3 5/8" Master Chuck and Throttle Valve in Handle use. Uses 42 CFM @ 90m PSI. (1525 blows per. min.) Wt. 46 Lbs.
- 50402** PD-45: Light Duty Post Driver with 3" Master Chuck. Uses 30 CFM @ 90m PSI. (1700 blows per. min.) Wt. 51 Lbs.
- 50403** PD-55: Medium Duty Post Driver with 3 7/8" Master Chuck. Uses 42 CFM @ 90 PSI. (1700 blows per min.) Wt. 60 lbs.
- 50404** PD-100: Medium/Heavy Duty Post Driver with 4 1/4" Master Chuck. Uses 59 CFM @ 100 PSI. (1700 blows per min.) Wt. 112 lbs.

3-TON HYDRAULIC POST PULLER (Model PL-3)

- Pulls posts up to 4" x 6"
- 17" pulling stroke
- 3/8" cable, 1" hook opening
- 36 3/4" H x 12" W x 121/4 L
- Wt. 62 lbs.

**50406****ACCESSORIES**


- 50408** Throttle Valve Kit with 2' Hose Whip for all models (Not Necessary on Model 50403)
- 50410** 3/4" Air Hose for All Post Drivers
- 50412** Filter-Regulator-Lubricator for all Models
- 50424** Filter Lubricator Carrier

CHUCK ADAPTERS*(State size or type of post to drive)*

- For PD-39, PD-45, PD-55

- For PD-100

- For PD-140



SPEED ADVISORY PLAQUES
 (For Use with Warning Signs Only)

Speed MUTCD No.

10	W13-1P-10
15	W13-1P-15
20	W13-1P-20
25	W13-1P-25
30	W13-1P-30
35	W13-1P-35
40	W13-1P-40
45	W13-1P-45




W13-1P-25
 18" x 18"
 24" x 24"
 30" x 30"

**CALL FOR QUOTE
 ON LARGE QUANTITIES**



R11-2
 48" x 30"



R11-2B
 48" x 30"



W1-7
 48" x 24"



R12-2
 18" x 24"
 24" x 30"



W1-8L
 18" x 24"
 24" x 30"

*Multi-color signs incur an additional charge.

SIGNS FOR SCHOOLS
Fluorescent "Diamond Grade"
Yellow/Green Available
SIGNS

Engineer Grade Reflective Sheeting on .080 Aluminum
 Specify Size on Order


Size	Size
24" x 8"	30" x 30"
24" x 10"	30" School
24" x 30"	36" x 36"
24" x 48"	36" School
-	48" x 48"

30128 18" Non-Reflective
 Stop/Slow Flagger
 Paddles

**Stop/Slow Paddles
 Available, Pg. 19**



S1-1
 30" x 30"
 26" x 36"



S5-2
 24" x 30"



S2-1
 30" x 30"
 26" x 36"



S3-1T
 30" x 30"
 26" x 36"



S7-1T
 24" x 18"




S4-3
 24" x 8"



R2-1-15
 24" x 30"



S4-4P
 24" x 10"



S5-1-20
 24" x 48"

CALL 1-800-547-0874 FOR PRICING

SIGN MANUFACTURING SUPPLIES
Die-Cut Letters & Numbers

Series B

Series C

Series D

ABC 123
 ABC 123
 ABC 123

- Series B, C and D
- White or Black
- Pressure Sensitive
- Engineer Grade or Hi-Intensity
- 25 per pack

Traffic Sign Faces


- Pressure Sensitive
- Engineer Grade or
- Hi-Intensity

Sign Blanks



- .080 Aluminum
- Flat or Extruded

Reflective Sheeting


- Engineer Grade
- Hi-Intensity
- Diamond Grade

CONSTRUCTION SIGNS

PathMark Traffic Products



MDO PLYWOOD SIGNS

Size	Engineer Grade	Hi Intensity
Variable x 12"	✓	✓
Variable x 42"	✓	✓
18" x 24"	✓	✓
24" x 12"	✓	✓
24" x 18"	✓	✓
24" x 24"	✓	✓
30" x 24"	✓	✓
36" x 18"	✓	✓
36" x 36"	✓	✓
42" x 36"	✓	✓
48" x 24"	✓	✓
48" x 30"	✓	✓
48" x 42"	✓	✓
48" x 48"	✓	✓
60" x 30"	✓	✓
84" x 24"	✓	✓
84" x 36"	✓	✓

Aluminum Signs Available
Diamond Grade Available
Call For Pricing

SAFETY BARRELS

- Resilient Two-Piece Bright Orange Polyethylene Construction
- Stackable
- Transportable
- Built in Handle & Light Holder
- Four 4" Orange & Silver Reflective Stripes

Add-Ons:

Panel Light	Rubber Base
	
30201	30286-B



Barrel Wrap Tape			
Engineer Grade		Hi-Intensity	
	30307 4" White Tape		30309 4" White Tape
	30316 4" Orange Tape		30317 4" Orange Tape
6" Available — Call for Pricing			

FLUORESCENT PVC CONES

- 30100** 18" 3-lb. Cone
30101 28" 7-lb. Cone
30102 28" 10-lb. Cone
30131 28" 7-lb. Cone with two reflective collars, 6" and 4"
30130 28" 10-lb. Cone with two reflective collars



In Stock

Traffic Cone Collars

- 30104TM** 4" Reflective Collar
30105TM 6" Reflective Collar

LIME-GREEN CONES

- 30101-LG**
 28" 7-lb. Cone



SAND BAGS

- 30292**



VERTICAL PANELS

- Double - Right/Left
- 8" x 24" Panels
- Overall height 36"
- Self Righting

- 30229-F** Fixed Mount Base
30229-P Portable Base



CHANNELIZERS

- 42" Channelizer with 30-lb. base and four 4" Hi-Intensity band.

- 30103N**



STOP/SLOW FLAGGER PADDLES

- Double-faced (STOP on front, SLOW on back)
- Hand-held Staff

- 30128** 18" Non-Reflective Stop/Slow with 9" handle
30128A 18" Non-Reflective Stop/Stop with 9" handle
30129A 24" Reflective with 72" Stop/Slow two-piece staff



CHEVRONS DIAMOND GRADE

- 18" x 24" Reflective Panel
- Overall height of 60"

- 30226-L** Fixed Mount
30226-R Fixed Mount
30228-L Portable Base
30228-R Portable Base



If Your Job Requires a Different Style Vertical Panel, Call Us.

OPPOSING TRAFFIC LANE DIVIDERS

- Withstands 35 impacts at 45 MPH
- 12" x 18" Reflective Panel
- Overall height 36"

- 30230-FHI** Fixed Mount, Hi-intensity
30230-FDG Fixed Mount, Diamond Grade
30230-PHI Portable Base, Hi-intensity
30230-PDG Portable Base, Diamond Grade



STOP/SLOW ROLL-UP PADDLE

RU-STOP/SLOW

- 24" Roll-Up Stop/Slow with staff



PLASTIC FOLDING TYPE I BARRICADE

- Engineer Grade Both Sides
- Convenient Grip Handle on Top



- 30224** Fillable 24" Type I with 8" Sheeting on Top, Both Sides
- 30224S** Solid 24" Type I with 8" Sheeting on Top, Both Sides

WOOD ANGLE IRON TYPE I FOLDING BARRICADE

- Engineer Grade Both Sides
- Steel Legs Painted White
- 1/2" Plywood Panels



- 30224M** 24" Type I with 8" Sheeting on Top, Both Sides

BARRICADE LIGHTS

- 7" Lexan Lens
- Weather Resistant Solid-State Circuitry
- Photo-Cell Automatically Turns Light on at Night
- Meets ITE Specifications
- High Density Polyethylene Case



- 30200** Type A 6-Volt Flashing Light; Each
- 30204** 6-Volt Battery; Case of 12

8 FT. TYPE III SKID MOUNTED BARRICADE

- Plastic Panels
- Available in Engineer Grade or Hi-Intensity



Engineer Grade

- 30264A-EG** One Sided
- 30264** Two Sided

Hi Intensity

- 30262** One Sided
- 30263** Two Sided

8 FT. TYPE I A-FRAME BARRICADES

- One Plastic Panels
- Sheeted Both Sides
- Available in Fillable or Solid



- 30224A-EG** Engineer Grade
- 30224A-Hi** Hi Intensity

SAFETY VESTS

Soft Mesh

Orange Polyester material, light weight, soft, flexible, cool. Black poly binding, elastic side straps and velcro front closure.



Reflective Velcro (1-1/2" wide strips)

- 30106** Standard Size
- 30166** XL Size

Solid Sides

Reflective Zipper Front

- 30165L** Standard Size
- 30165** XL Size



Non-Reflective Velcro

- 30107** Standard Size

ANSI Class 2 Vest

- Full polyester material
- Meets ANSI / ISEA 107-1999 Recommendations
- Also Available in Mesh



Lime Green Vest with 1-1/2" Stripes

- 30168** Medium Size
- 30169** Large Size
- 30170** XL Size
- 30171** XXL Size
- 30172** XXXL Size
- 30173** XXXXL Size

Larger Sizes Available. Call Us.
1-800-547-0874

Add Ons:

Barricade Tape



Engineer Grade

- 30300** Right Stripes
- 30301** Left Stripes

Hi-Intensity

- 30302** Right Stripes
- 30303** Left Stripes

7" x 50 yd. Rolls, 6" Orange and White Stripes

Barricade Light



30200

Sand Bags



30292

RED & WHITE DEAD END BARRICADE SHEETING



Right & Left Stripes

- 30304EGR** EG 8" x 50 yd. roll—Right
- 30304HIR** Hi 8" x 50 yd. roll—Right
- 30305EGL** EG 8" x 50 yd. roll—Left
- 30305HIL** Hi 8" x 50 yd. roll—Left

CONSPICUITY TAPE Red & White Hi-Intensity



- 30233** 2" x 36" Strips
- 30234** 2" x 150 ft. Roll

WARNING FLAGS

Fluorescent orange, vinyl-coated. Flag seams are sewn.



- 30109** 18" x 18" Flag on 24" wooden dowel
- 30167** 24" x 24" Flag on 36" wooden dowel

AIRPORT FLAGS

36" x 36" orange and white checkerboard, with grommets and pocket for wooden dowel.



- 30110** 36" x 36" Flag
- 30110A** 48" x 3/4" Wooden Dowel

TRAILER MOUNTED ARROW BOARDS

Solar Powered

- Easy to Move
- Solar Powered
- Low Maintenance
- Fully Charged Battery Lasts Over 30 Days

30211 4' x 8' 15-Light Model
30212 4' x 8' 25-Light Model



TRUCK MOUNTED ARROW BOARDS

- Ideal for Moving Operations
- Perfect for Short Term or Temporary Projects
- Easy to Handle



30209 13-Light Unit with 24" x 48" Board
30213 15-Light Unit with 30" x 60" Board
30210 15-Light Unit with 48" x 96" Board

ORANGE SAFETY FENCING



- Lightweight
- Reusable
- Won't Rust, Corrode or Conduct Electricity
- Temporary Hazard Identification

30132 4 ft. x 100 ft. Roll, 1-1/2" Opening, 30 lbs.

REFLECTIVE FENCING AVAILABLE
CALL 1-800-547-0874

MESSAGE CENTER



30208 Trailer Mount 3-Line Message Center
30210-25 25-Light Truck Mount Board 48" x 96"
30219 Solar-Powered Radar Trailer



BARRIER TAPES



30119 CAUTION CAUTION CAUTION
30120 POLICE LINE DO NOT CROSS
30121 FIRE LINE DO NOT CROSS
30122 CAUTION MEN WORKING

If you have a traffic product need that you do not see in this catalog, give us a call 1-800-547-0874 and we will make every effort to get it.

VEHICLE LIGHTS

STROBE BEACON

- Double Fresnel Optic Lenses Provide Superior Visibility
- Select from Four Unique Attention Getting Patterns
- 12/24 VDC
- 1.5 Million Candlepower
- Intense 360° Flash

0-2015LPA Low Profile, Fixed Mount
0-2015HPA High Profile, Fixed Mount
0-MMK Magnetic Mount Kit
(Includes magnet, cigarette lighter plug and cord.)



MINI-LIGHT BAR

- Two Rotators, Diamond Mirror
- Mini Bars Ideal for Mounting Where Space is Limited
- 440 FPM
- 50,000 Candlepower

0-R2DXPA Permanent Mount
0-R2DXMA Magnetic Mount
0-MMK Magnetic Mount Kit
(Includes magnet, cigarette lighter plug and cord.)




SOIL MOUNTED FLEXIBLE GUIDE POSTS

- Enhance Motorist Safety
- Meets or Exceeds State Specifications

Flat Top

- Most Common Size: 66"



30868
White Post
(Yellow posts available as special order)

Drivers:
50398
Pilot Hole Driver

50399
Post Driver

Flat Top Above Ground

- Most Common Size: 48"



30804
White Post
(Yellow posts available as special order)

Soil Anchor
(Included with 30804)

30893
18" Soil Anchor

(Pilot Hole Driver)

(Soil Anchor)

SURFACE MOUNTED FLEXIBLE GUIDE POSTS

- Identify Islands, Construction, Traffic Flow, HOV Lanes
- Easy Installation
- 36" Tall (Above Ground)
- Surface Mount Assembly Included


Flat Top



30827
White Post

30895
Flat Top Base
(Yellow posts available as special order)

Multi-Purpose Top



30830
White Post

30874
Multi-Purpose Top Base
(Yellow posts available as special order)

REFLECTIVE STRIPS

Guide Posts include your choice of a 3" x 9" Silver or Amber reflective strip. Additional strips are available to purchase as an add-on for double-sided visibility.



30314
Additional Silver High Intensity Strip Applied to Post

30315
Additional Amber High Intensity Strip Applied to Post

Other Add-Ons:

- 10302** 2-Gal. Epoxy Kit for Surface Mount Installation
- 30897A** Individual Post Epoxy Kit
- 10307** 8 x 8 x 1/8" Butyl Pad
- 50421** Manual Driver with Cap for Installing 18" Soil Anchors

MEASURING WHEELS

MOST RELIABLE LONG RUN MEASURING WHEELS

- Indoor and Outdoor
- Use Over Demanding Terrain
- Spare Parts and Accessories Available

4" Dia. Single Wheel MM12

Records up to 1,000 feet without resetting for versatile indoor measuring or outdoors on firm surfaces. Light, solid, easy to use. Records in feet and inches. 1-ft. wheel circumference, 4" dia. Telescoping handle for convenient storage.

70100 Measure Master 12

11 1/4" Dia. Measure Master 30

Records up to 1,000 feet without resetting. Ideal for indoor jobs and outdoors measuring on firm surfaces. Completely sealed Veeder-Root counter. Sturdy steel construction. 3-ft. circumference wheel (11 1/4" dia.) and telescoping handle for space saving storage.

70101 Measure Master 30



Model 300

Records up to 100,000 Feet

Rugged and reliable, engineered for heavy duty, high precision measuring over demanding terrain. American-made, completely sealed. Veeder-Root counter measures accurately in feet up to 100,000 feet without resetting. 3-ft circumference chrome plated wheel is precision calibrated. Wide, hard rubber treads for solid traction, superior balance. Rugged, self-lubricating wheel bearings. Rigid, collapsible handle. 11 1/4" dia. Wheel.


70102 Measure Master 300

Reliable Outdoor Measuring Over Most Terrain

Records up to 100,000 Feet

For those with demanding measuring needs. Precision totalizer automatically records up to 100,000 feet without resetting. Wide neoprene tire provides positive traction. Automatic brake prevents accidental backtracking. Built-in stand keeps wheel in upright position. Spokes are set 2 1/4" for estimating measurements under 1 foot, 4-ft wheel circumference. 15 1/2" dia.

70104 Rolatape 400



HP Blower w/IP Engine

*Blows Away Competition
Revolutionary Side
Discharge System*

- Handle Height Adjustable
 - 3 Large 10" Pneumatic Wheels
 - Computer Balanced Fan Provides Unmatched Power and Durability
- 50114S** Blower


POUR POT

Pour pot with legs, 3 gal. capacity, adjustable, reducible and removable pipe fitting nozzle for easy customizing and clean up.

60300

Pour Pot


70313P

Plastic Chalk Line Marker


LAYOUT CHALK, 4" X 1"

70306 White **70307** Blue


LUMBER CRAYONS, 4 1/2" X 1/2"

70308 Yellow **70309** Blue

70310 Red **70311** White


PERMANENT ROAD REPAIR

Works in wet or dry weather. No heating or drying required. Meets most state specifications in most cases out performs hot asphalt.

60100 60 lb. Bag

SEAL COAT BROOM

For spreading seal coat over pavement to prepare surface for striping.

70303 Seal Coat Broom


COLD POUR LATEX CRACK FILL

Flexible highly rubberized asphalt emulsion to fill narrow pavement cracks up to 1/2" wide in asphalt or concrete.

60102 5-gal. Size

60103 55-gal. Size

TAMPER

High quality aluminum/magnesium alloy cast base with mark-free rounded corners 48" pipe handle.

70305 Tamper


COLD POUR TACK COAT

Rejuvenates and promotes adhesion. An asphaltic emulsion based tack coating designed for prime or tack coat on any asphaltic surface.

60104 5-gal. Size

60105 55-gal. Size

LUTE/RAKE

Extruded aluminum/magnesium alloy 36" blade with 6-ft. handle for spreading asphalt.

70304 Lute/Rake


CHALK LINE MARKER

70313 Metal Chalk Line Marker

70314 Extra white chalk 10 lb.

70313S Extra String

70313G Extra Grommet


"V" CRACK SQUEEGEE

"V" shaped squeegees are the most used style crack squeegees in our history to date. Their soft, easy to use design coupled with their ability to force crack filler down into a crack makes these tools a favorite.

70324 "V" Crack Squeegee


"U" CRACK SQUEEGEE

"U" shaped squeegees are a long time industry favorite. Their design makes the blade work on its edge causing a stiff action. This allows the tool to better scrape off crack filler from the surface.

70327 "U" Crack Squeegee


PARKING LOT ACCESSORIES
PARKING STOPS

- Recycled Plastic
- Maintenance Free
- Solid Color



Specs: 6' L x 6" W x 4" H;
20 lbs.

Lightweight, easier to handle, compared to concrete. Made from recovered and recycled plastic. Attractive, low profile. Crack and chip resistant. Won't deteriorate from weather or chemicals. Pre-drilled for anchoring. Spikes Included.



70406 Yellow Stop

70410 Blue Stop

(Other colors available.)


STRIPED PARKING STOPS


- Made of 100% recycled rubber
- Ideal for indoor or outdoor parking
- High visibility at night
- Simple installation by one person
- Can be installed on any road surface
- Temporary or permanent installation
- Maintenance free

70410 Blue with White Stripes
70411 Black with Yellow Stripes
70412 Black with White Stripes

SPIKES


70406S Spikes

PLASTIC SPEED BUMPS


- 100% Recycled Plastic
- Superior Strength and Durability
- Lightweight and Maintenance Free
- Chemical & Weather Resistant
- Lag Kit or Spikes and Butyl Adhesive Strips Included

10155 6-ft. Yellow, Wt. 41 lbs.
10156 9-ft. Yellow, Wt. 50 lbs.

BOLTS


70406-Shield
70406-LAG



ECONO-STAND

Holds rigid or roll-up signs. This tripod stand measures 46" high with 30" sign and 76" high with 48" sign. Wt. 18 1/2 lbs.

30220T



102 COMPACT STAND

- Low Cost
- Compact & Light Wt.
- Adaptable to Curb & Uneven Terrain

30220C-102



3022RBS

RUBBER BASE STAND

- Wind Deflectable
- Constructed of Solid Steel Plate Molded into Recycled Rubber
- Mast Folds Down for Storage
- Low Cost Alternative



202 COMPACT STAND

- Steel Super-Flex™
- Adjustable Wind-Deflection
- Adaptable to Curb & Uneven Terrain

30220C-202



550 SPRING LOADED STAND

- Steel Super-Flex™
- Holds 48" Sign 18" Above Ground
- Uses Rigid or Roll-Up signs

30220LB

Roll-Up Sign Holder Only

30220R

Rigid Sign Holder Only

30220

Roll-Up & Rigid Sign Holder

30220LB-77

Extension to Mount Sign 7 ft.



EZUP Flag Assembly

TxDOT Compliant

48" REFLECTIVE ROLL-UP SIGNS

RU-BPS-48R	BE PREPARED TO STOP
RU-FA-48R	FLAGGER AHEAD
RU-FA-SYM-48R	FLAGGER AHEAD (symbol)
RU-OLRA-48R	ONE LANE ROAD AHEAD
RU-RLCA-48R	RIGHT LANE CLOSED AHEAD
RU-RWA-48R	ROAD WORK AHEAD
RU-UWA-48R	UTILITY WORK AHEAD

OVERLAYS FOR THE WORD "AHEAD"

- 500 FT
- 1000 FT
- 1500 FT
- 1/2 MILE
- 1 MILE

OVRLY FOOTAGE

Specify footage when ordering.

30292

Sandbags

RU-CASE

Vinyl Storage Case for Roll-Up Sign

OVERLAYS FOR THE WORD "RIGHT"

- RIGHT LANE CLOSED
- OVRLY LEFT RLC**
- RIGHT LANE CLOSED AHEAD
- OVRLY LEFT-RLCA**

Tested and Certified to meet the crashworthy requirements of NCHRP-350

TRAFFIC CALMING DEVICES

MODULAR TEMPORARY RUMBLE STRIPS



Wake up drivers to conditions around them with these easy to apply and remove temporary rumble strips. Creates significant auditory and vibratory alert. Non slip backing means no installation necessary. Easily set down and picked up from across roadway each day of work.

Great for use in:

- Flagger Operations
- Temporary Work Zones
- Traffic Safety Check Points
- Lane Closures

40216 Rumble Strips



SPEED BUMPS



10154 4-foot

10155R 6-foot

10157 End Cap



SPIKES



70406S

Spikes

BOLTS



70406-Shield

70406-LAG

**CALL
800
547-0874
FOR
PRICING**

LINELAZER 3400

50208S LineLazer 3400

- Airless Paint Striper
- Easy Reach Controls
- Higher Pressure
- Higher Output
- Parking Brake
- Swivel Front Wheel
- Electronic Pressure Control

**LINELAZER IV 3900/5900**

- Airless Paint Striper
- Handlebar Design
- Backlit Display
- Flow-through Filter
- Chromex Pump Rod
- Higher Output
- Gun Holder
- Advanced Vibration Reduction System



50209S	LL 3900	50212S	LL 3900 *
50210S	LL 5900	50213S	LL 5900 *
50211S	200HS	50214S	200HS *

(*) Indicates model includes auto layout

GRACO LINEDRIVER**Complete More Jobs ...
In Less Time!****LineDriver Has Been Designed to:**

- Deliver Breakthrough Striping Productivity
- Stripe most lots in less than half the time
- Dramatically Reduce Operator Fatigue
- Most Contractors walk 6 feet for every foot of line applied
- LineDriver manages the 200+ pound striper for you
- Hydrostatic Propulsion
- 5.5 HP Honda
- Forward and Reverse

50115S LineDriver HD 50117S LineDriver

GRACO PARTS**TIPS****FILTERS****REPAIR KITS****HOSES, ETC.****CALL 1-800-547-0874 FOR PRICING**

If you have a traffic product need that you do not see in this catalog,
give us a call 1-800-547-0874 and we will make every effort to get it.

GRACO FIELD LAZER

Airless Spray Delivers Higher Quality Lines with Ease

Features and Benefits

- Airless pumping technology atomizes higher concentrations of turf paint for brighter, longer lasting lines
- At just under 80 pounds, FieldLazer weighs in as the lightest, easiest-to-push airless field striper
- Exclusive tall-wheel cart rolls easily over ruts and cleat marks
- Versatile and easy to use, FieldLazer tackles your field marking jobs with ease

Key Applications

- Fields
- Field Lines
- Hash Marks
- Corner Kicks
- Stencils

Key Materials

- Turf Paint

50206

Field Lazer



GRACO ROADLAZER ROADPAK SYSTEM

Modular, One-Person Operation Road Striping System

RoadPak System is a hydraulic striping system built for road striping professionals. The RoadPak airless striping system produces accurate lines at productive speeds up to 10 mph (16 km/h).

Features:

- Double-acting paint spray gun has complete chemical compatibility and highest flow rates available
- Double-acting bead spray gun has better on/off control and eliminates chattering often found in competitive guns
- Optional RoadView Camera System provides optimum

forward viewing of existing or new lines

- Exclusive Graco displacement pumps for long life and low maintenance. 100% chemical compatibility with all traffic paints
- Spray gun boom arm for straighter lines and more accurate curves. Easily moves from centerline to edge-line

Highlights:

- 8 Ready to stripe Road Lazer RoadPak Systems
- Modular striping system offers unlimited striping possibilities
- 1 or 2 pump RoadPak for superior performance and crisp, clean stripes
- Optional RoadView Camera System for optimum forward viewing and alignment from the cab for one person striping



50102

RoadPak

PAINT STRIPER ACCESSORIES

CALL US 800-547-0874

AIRSPRAY

GRACO PARTS

AIRLESS

SPRAY TIPS

VIDEO GUIDANCE SYSTEM



PAINT GUNS

PAINT AGITATOR

BEAD DISPENSERS

PAINT TRANSFER PUMP

ThermoLazer 300TC:

**The Most User-Friendly,
Innovative Thermoplastic Striper**

Features:

• **EasyGlide Wheel Mount System**

- Front mounted caster along with dual rear pneumatic air-filled tires makes handling safe and as easy to maneuver as a LineLazer striper

• **Tri-Flame Die Heat System**

- Reliable, safe system to keep die ready to use

• **Bead Dispense System**

- No-tool system allows fast and easy line width changes

• **Split Bead Hopper System**

- Split hopper holds over 90 lbs. of beads



50636

ThermoLazer 300TC

- Simple conversion to double drop bead system with optional kit

• **FatTrack Front Swivel Wheel**

- Proven front caster wheel system makes turning fast and easy
- Maneuver curves better
- No need to “muscle” it while moving

ThermoLazer 200TC:



50639

ThermoLazer 200TC

This is the solution for smaller more maneuverable thermoplastic handliners. The combination of simplicity, affordability and Graco's proven ThermoLazer technology changes

the game for professional thermoplastic line striping contractors.

Features:

FlexDie™ Screed Box

- Heavy, Solid Steel Construction
- No-Tool Removal of Die and Handle
- 1015 Mil Adjustability
- 200 lb. Material Kettle
- No-Tool Removal For Dual Color Use

Graco Bead Dispenser

- Excellent Bead Coverage

Compact Design

- Light and Easy To Use On The Toughest Job Sites

13 Die Sizes

- Ultimate flexibility for any striping job

FASTMELT 650

The FastMelt 650 has a modular design that allows for complete replacement of all its parts. The means maximizing the longevity of your equipment, ensuring many years of dependable service and quality striping.



Specifications:

- Empty Weight: 950 lbs.
- Loaded Weight: 1700 lbs.
- LPG Fuel Tank: 100 lbs.
- Dimensions: 48" x 41" x 51"
- Hydraulic System: Two stage high/low hydraulic pump
- HC-M45 directional control spool valve with relief
- Material Capacity: 650 lbs.
- Material Agitation: Direct drive serrated anchor agitator, adjustable speed control



- Material Temperature Gauge: 50 - 550

506440

Fast Melt 650

MERCURY TRANSPORT TRAILERS

Options:

- Loading Crane
- Safety Strobe
- Die Cleaning Box
- Ball or Pintle Hitch

Features:

- **Deck Dimensions:** 14' L x 7'6"W x 35" H (420 cm L x 228.6 W x 88.9 cm H)
- Diamond Plate Deck with smooth section under kettles
- **Hydraulic Power Pack:** Located in tongue
- **GVW:** 12,000 Lbs. (5,682 Kg)
- **Material Port to Ground:** 56 inches



- **Tandem Axle**
- **LP Fuel Tank Stand or Diesel Fuel Tank**
- **Brakes:** Electric
- **Grab Rails/Step**
- **2-Aluminum storage boxes**
- **Jackstand: Screw Type**
- **Spare Tire**
- **Material Inventory Storage on Deck**
- **Hydraulic Hoist:** 1500 Lbs.

**CALL 800-547-0874
FOR PRICING & INFORMATION
ON EQUIPMENT**



GRINDLAZER 270

Ideal for Removing Traffic Lines and Smoothing Uneven Surfaces

Features:

- EasyGlide Wheel Mount System — Front mounted caster along with dual rear pneumatic air-filled tires makes handling safe and easy to maneuver as a LineLazer.
- TriBelt Drive System — 3-cog belt design optimizes power transfer and maximum

load handling to virtually eliminate costly downtime.

- Heavy-Duty ProStart System — Centrifugal clutch allows easy starting and shut off of cutters. Also makes it easy to start in cold weather, eliminates broken recoils and provides longer belt life.
- Fat Track Front Swivel Wheel — Proven front caster wheel system makes turning fast and easy, maneuver curves better, no need to “muscle” it while moving.



50203 Model 270

GRINDLAZER 390

Ideal for Removing Traffic Paint, Thermoplastic, Epoxy Coating and Smoothing Uneven Surfaces

Features:

- Vibration Reduction Technology — Pneumatic air-filled tires, comfort grips, LineLazer-like cart design combine to eliminate vibration reducing user fatigue.
- DialDown Depth Control System — “Forward Cut” precise cutting depth with multiple position depth control.
- Heavy-Duty ProStart System — Centrifugal clutch allows easy starting and

shut off of cutters. Also makes it easy to start in cold weather, eliminates broken recoils and provides longer belt life.

- Fat Track Front Swivel Wheel — Proven front caster wheel system makes turning fast and easy, maneuver curves better, no need to “muscle” it while moving.
- TriBelt Drive System — 3-cog belt design optimizes power transfer and maximum load handling to virtually eliminate costly downtime.
- EasyGlide Wheel Mount System — Front mounted caster along with dual rear pneumatic air-filled tires makes handling safe and easy to maneuver as a LineLazer.



50215 Model 390

GRINDLAZER 480

Extra Power for Inlay and Grooving Ideal for Removing Traffic Paint, Thermoplastic, Epoxy Coating and Smoothing Uneven Surfaces

Features:

- Extreme Duty Prostart System — Centrifugal clutch allows easy starting and shut off of cutters providing one of the safest units on the market today.
- Ease-Z-Steer Handle Bar system — Reduces vibration and makes turning and handling simple as a LineLazer. Fully adjustable handles for all size users.
- Fat Track Front Swivel Wheel — Proven front caster wheel system makes turning

fast and easy, maneuver curves better, no need to “muscle” it while moving.

- EasyGlide Wheel Mount System — Front mounted caster along with dual rear pneumatic air-filled tires makes handling safe and easy to maneuver as a LineLazer.
- TriBelt Drive System — 3-cog belt design optimizes power transfer and maximum load handling to virtually eliminate costly downtime.
- LineDriver Required — GrindLazer 480 with Reverse/“Up-Cut” cutting direction requires the use of a LineDriver Propel System. The GrindLazer 480 unit cannot operate without a LineDriver due to the safety switch interlock system on the hitch.



5571008 Model 480

LINE ERASER

Exclusive Tilt-Top Cutter Access

Specifications:
Horse Power:

11HP

RPMs: 1826

Belts: Standard

"V" Belts

Length: 46.5"

Width: 29"

Height: 36.5"

Weight: 438 lbs.

Production Rate:

7" Working Width will grind approximately 700 - 1,000 Linear ft. per hour with Carbide Cutters.

Includes:

3 - 24 Bit Carbide Cutter Assemblies

Requires:

3 - Carbide Bit Assemblies

Ideal For:

- Removing traffic lines and markings
- Removing painted and thermoplastic lines

50204S 11 HP Line Remover

LINE REMOVER


(Includes 1 set of hardened steel cutters.)

- Up to 8" Cutting Width
- 6 Shaft Drum Assembly for Smooth Cutting
- 9 HP Honda Engine
- Weight 202 lbs.

50203S 9 HP Line Remover

CUTTER SETS

Special Milling Cutter


505000

Tungsten Cutter


505001

Hardened Steel Cutter


505002

Washer/Spacer

505003
Optional Roto-Peen system provides fine surface preparation similar to steel shot blasting.

BITUMEN ADHESIVE APPLICATORS

BITUMEN APPLICATOR

Ideal for Small to Medium Jobs


Standard Features:

- 24 Gallon Aluminum Vat
- 10" Burner
- Swivel Wheel with Lock
- Line Up Bar
- Hand Torch

50151 Bitumen Applicator

TRAILOR MOUNT BITUMEN APPLICATOR

Built to Handle Big Jobs


Standard Features:

- Solid State Controller with LED Display
- Complete Power Pack with electric Start
- Power Agitator
- 39 Gallon Steel Vat
- Left Front Fold Down Seat
- All Pipe Flow Line with 18" Travel
- Foot Flow Control Switch Locking Battery Bo

SP*001087 Trailer Mount Bitumen Applicator

www.pathmark.net
sales@pathmark.net

Local: (512) 392-2090

Local Fax: (512) 392-2092

Toll Free Fax (800) 352-2092



We have been in business over 20 years as suppliers of traffic safety products, providing materials and equipment for government, contractor and private projects nationwide.

We strive to provide immediate shipment whenever possible. Our ever expanding product line allows us to offer the latest innovations in traffic control and highway safety.

To all of our present customers, we offer our sincere appreciation. Without all of you, our growth and success would not have been possible.

To all of our potential customers, we would appreciate the opportunity to show you our dedication to service with 100% customer satisfaction guaranteed.

TERMS & CONDITIONS OF SALE

- **Prices are subject to change without notice.** Prices listed in this catalog are suggested list prices. Actual sale price may vary.
- **Terms:** Cash or credit card, unless prior arrangements are made and approval obtained for credit. **Past due credit accounts subject to 1½ % interest per month.** Orders received from past due accounts will not be processed until account is current.
- **Minimum order:** All orders are subject to a \$25.00 minimum.
- **Freight:** All items are F.O.B. shipping point unless otherwise quoted in writing.
- **Returns:** No returns shall be accepted by seller after 30 days of receipt of material. **No returns shall be accepted by seller without seller's prior written authorization.** Buyer is responsible for all returned freight and a minimum of 15% restocking charge on all returns. **No Returns** shall be accepted on **custom** manufactured products.
- **Lost / Damaged Shipments:** Buyer must notify seller of any shortages or damage within 48 hours after receipt of goods. If any discrepancies are found, note them in writing on the carrier delivery ticket and on your copy of the delivery ticket. Be sure the driver signs both copies acknowledging the discrepancy and notify us immediately.
- **Warranty:** Seller shall repair or replace any product which is found defective, if seller receives written notice of such defect within thirty (30) days from date of shipment.

PRODUCT INDEX

- A -		Caution Tape 21	Guide Posts, Flexible 22	Parking Signs 12	Speed Hump 24
AcrylicTraffic Paint 3	Chalk, Marking 23	Guns, Dispensing 5	Parking Lot Accessories 23	Stands, Sign 24	Stencils 8-9
ADA Compliance 13	Chalk Line Marker 23	- H - J -	Parking Stops 23	Street Brooms 23	Street Name Signs 13
Adhesive Applicators 5	Chip Seal Markers 4	Handicap Parking Signs 13	Pavement Markers 6-7	Stripers, Paint 25-26, 31	Striping Tape 6
Adhesives 5	Chlorinated Rubber	Handicap Symbol Stencil 8	Pavement Tape	Strobe Lights 21	
Aerosol Paint 31	Traffic Paint 3	Jiggle Bars 4	& Symbols 8		
Airport Flags 20	Clamps, Sign 14	- L -	Post Drivers 15		
Applicators 5, 25, 26, 27, 29	Collars, Cone 19	Latex Traffic Paint 2	Post Pullers 15		
Arrow Boards 21	Concrete Traffic	Lead-Free Paint 2	Posts, Flexible 22		
Arrow Signs 11, 16-18	Barrier Markers 10	Letters & Numbers 8-9, 13	Posts, Sign 14		
Arrows, Pavement 6-9	Cones, Traffic 19	Lights, Barricade 19	- R -		
Asphalt 23	Conspicuity Marking Tape 20	Lights, Vehicle 21	Rake 23		
- B -	Construction Markers 5	Line Markers 25-27, 31	Reflective Paint 3		
Barrels 19	Construction Signs 18	Line Removers 28-29	Reflective Sheeting 17		
Barrel Wrap 19	County Road Markers 13	Lute/Rake 23	Reflectors 10		
Barricades 20	Crack Fill 23	- M -	Regulatory Signs 11-12		
Barricade Lights 20	Curb, Parking 23	Markers, Chalk 23	Road Markers 4-5		
Barricade Sheeting 20	Cutters, Grinder 29	Markers, Chip Seal 5	Road Repair Supplies 23		
Barricade Tape 20	- D - E - F -	Markers, Delineator 10, 22	Roll-Up Signs 24		
Barrier Tape 21	Delineator Posts 14	Markers, Line 25-27, 31	Rubber Traffic Paint 3		
Beacons, Flashing 21	Delineators 22	Markers, Pavement 4-6	- S -		
Beads, Glass 3	Disabled Parking Signs 13	Marking Paint 31	School Signs 17		
Bitumen Adhesive 5	Dispensing Equipment 29	Marking Tabs 5	Seal Coat 23		
Bitumen Applicators 29	Drivers, Post 15	Marking Tape 6	Sheeting, Reflective 17		
Blanks, Signs 17	Epoxy 5	Measuring Wheels 22	Sign Blanks 17		
Brackets, Signs 14	Facing, Sign 17	- N - O -	Sign Brackets 14		
Brackets, Signs Supports 13	Fencing, Safety 21	Numbers 9, 13, 17	Sign Faces 17		
Brass Stencils 8	Field Marking Paint 31	Object Markers 10, 22	Sign Posts 14		
Brooms, Street 23	Flagger Paddles 19	Oil Base Paint 3	Signs, Construction 18, 24		
Bumps, Speed 23	Flags, Fluorescent 20	- P -	Sign Stands 24		
Bundys 5	Flashing Lights 20-21	Paddles, Flagger 19	Signs, Suppor Brackets 13		
Buttons, Traffic 4	- G -	Paint Guns 26	Signs, Traffic 11-13, 16-18, 24		
Butyl, Pads 5	Glass Beads 3	Paint Markers 25-26, 31	Signs, Work Zone 18		
- C -	Grinders 28-29	Paint Stripers 25-26, 31	Solvents 3		
Cap, Drive 22	Guardrail Markers 10	Paint, Traffic 2-3, 31	Speed Bump 23		

TRAFFIC STRIPING PAINT

Most Economical Way to Make Lines Without Maintenance or Clean-up!



Color	Single	Case
White	20400A	20400
Yellow	20401A	20401
Red	20402A	20402
Black	20403A	20403
Blue	20404A	20404

Other Colors Available

One can of traffic paint stripes up to 125 ft. of 4" wide striping.

Single Can = 18-oz.; Case = 12 single cans

SUPER STRIPER

Low-Cost Solution for Striping:

- Parking Lots
- Warehouses
- Drive-Thrus
- Athletic Fields



- 1" – 4 1/2" Adjustable Stripes
- Mess Free, No Cleaning Necessary
- Durable Construction
- Weighted for Stability
- Stripes Next to Walls and Curbs
- Adjustable Arrow Guide
- Three Can Holders

50101 Super Striper

**UPSIDEDOWN MARKING PAINT**

Color	Case
White	20406
Yellow	20407
Hot Pink	20408
Black	20409
Blue	20410
Hot Orange	20411
Fluorescent Red	20412R
APWA Green	20412

EASY MARKER HANDLE

Perfect Tool for Marking with Aerosol Paint

- One Hand Operation
- Convenient Trigger Grip
- Ideal for Marking Pavements, Repair Sites & Utility Locations



70403 Easy Marker Handle

In Stock



Use with
Upside Down
Marking Paint

FIELD MARKING PAINT**Field Marking Paint:**

A concentrated modified acrylic latex emulsion field marking paint designed for use on all types of athletic fields of natural turf. A water base paint containing no mercury type preservatives. Complies with V.O.C. Emissions and is not a hazardous substance under current OSHA regulations.

Coverage:

Approximately 900 linear feet of 4" wide stripe per gallon (undiluted)

Drying Time:

Less than one hour in normal conditions

Clean-up:

Water

20300 White, 5-gal. container



Custom Sign Shop



Arrow Boards



Message Boards



**Striping
Equipment**



- **MUTCD and DOT Signs**
- **Business, Community, Residential Signs**
- **Aluminum or Coroplast**
- **Quick Turn-Around**

PathMark

Local: (512) 392-2090

Local Fax: (512) 392-2092

Toll Free Fax (800) 352-2092

Call 1-800-547-0874

www.pathmark.net

sales@pathmark.net

